

Professor Lubor Fišera

A Tribute



It is a real pleasure for me to write a tribute to Professor Lubor Fišera on the occasion of his upcoming 60th birthday since I consider him to be a close personal friend and internationally, one of the most renowned heterocyclic chemists of present-day Slovakia, even though Slovakia has quite a number of outstanding scientists in this particular field.

Lubor Fišera (pronounced, Físhera, with the accent on the first syllable) was born on October 27th, 1945, in Bratislava at a time when the city was part of Czechoslovakia. Here Professor Lubor studied chemistry at the Slovak Technical University (PhD 1975) and took the first steps in his academic career (Assistant Professor 1971)

His interest in heterocycles was intensified by two post-doctoral fellowships, the first at the University of Munich (1975/6, with Prof. R. Huisgen) and the second at Emory University, Atlanta (1981, with Prof. Al Padwa).

In recognition of his numerous research contributions he was promoted to Associate Professor (1981) and was then appointed Full Professor (1988) at the Slovak Technical University in Bratislava. In 1993 he became head of the Department of Organic Chemistry.

Dr Fišera was, and continues to be, highly involved in lecturing at his university, not only at the undergraduate level (general organic chemistry and reaction mechanisms), but also in graduate education (stereochemistry). His research work deals mainly with chiral 1,3-dipolar cycloadditions, with the stereoselectivity of cycloaddition reactions in general and with the utilization of heterocycles for organic synthesis. On such or similar topics he has published approximately 150 papers and has given more than 60 plenary / invited lectures.

In addition, he has been visiting professor or research collaborator in various countries such as,

- 1990: University of Basra, Iraq (visiting professor);
1992: Vienna University of Technology, Austria (lectures on photochemistry);
1992/3: University of Munich (research collaborator on 1,3-dipolar cycloadditions);
2004: Université de Strasbourg, France (lectures on heterocyclic synthesis).

He has maintained close contacts with Prof. V. Jäger (Stuttgart) and Prof. H.-U. Reissig (Berlin). Of course he also pays regular visits to many of us (Prof. J. Fröhlich and Prof. F. Sauter) at the “neighbouring” Vienna University of Technology.

His close ties to our department are illustrated by his chairmanship at two (1995 and 2002) of our joint *Blue Danube Symposia on Heterocyclic Chemistry*.

Privately, Lubor is an extremely kind and considerate person, always reliable, with a good sense of humour and concerned about the existence of a harmonious atmosphere between his colleagues. During the spring and summer months he is a determined weekend gardener, and all year long he is a devoted grandfather.

In his spare time, which is quite limited, he reads many books, mostly about palaeanthropology and archaeology.

I also know him as a tireless car-driver (e.g., over thousands of miles through central Anatolia), who cannot resist climbing to the topmost circles of every ancient amphitheatre he has visited, always accompanied by his splendid wife Maja – a marvellous couple.

For those amongst his colleagues and friends who would like to join me in wishing him “ad multos annos”

I give below his contact address:

Prof. Dr. Lubor Fišera
Head, Dept. of Organic Chemistry, Slovak University of Technology
SK-81237 Bratislava, Slovak Republic
Fax: 00421 2 529 68560 E-Mail: lubor.fisera@stuba.sk

Fritz Sauter
Vienna University of Technology, Austria

Selected Publications of Prof. Fišera

1. Fišera, L.; Surá, J.; Kováč, J.; Lucký, M. Determination of σ_p constants of 2-furyl substituents. Transfer of the substituent effect through the furan-benzene system *Coll. Czech. Chem. Commun.* **1974**, 39, 1711.
2. Fišera, L.; Kováč, J.; Komanová, E.; Leško, J. Furan derivatives. LX. A convenient method of arylation of furan. reaction of diazoaminobenzenes with furan and isopentyl nitrite *Tetrahedron* **1974**, 30, 4123.

3. Fišera, L.; Geittner, J.; Huisgen, R.; Reissig, H.-U. Cycloaddition rates of diazomethane and diphenyldiazomethane *Heterocycles* **1978**, *10*, 153.
4. Fišera, L.; Kováč, J.; Poliačiková, J.; Leško, J. 1,3-Dipolar cycloadditions of heterocycles I. Cycloaddition of C-benzoyl-N-phenylnitrone to furan *Monatsh. Chem.* **1980**, *111*, 909.
5. Fišera, L.; Kováč, J.; Poliačiková, J.; Leško, J. A 1,3-Dipolar cycloaddition and 1,3-addition of 2-methylfuran *Heterocycles* **1979**, *12*, 1005.
6. Fišera, L.; Gaplovský, A.; Timpe, H.-J.; Kováč, J. Correlation of kinetic data of 1,3-dipolar cycloadditions of C-Benzoyl-N-phenylnitrone with the HOMO energies of furan derivatives *Coll. Czech. Chem. Commun.* **1981**, *46*, 1504.
7. Fišera, L.; Dandárová, M.; Kováč, J.; Gaplovský, A.; Patúš, J.; Goljer, I. 1,3-Dipolar cycloaddition of C-Benzoyl-N-phenylnitrone with dihydrofuran derivatives. Investigation of *endo-exo* stereoselectivity *Coll. Czech. Chem. Commun.* **1982**, *47*, 523.
8. Padwa, A.; Fišera, L.; Koehler, K. F.; Rodrigues, A.; Wong, G. S. K. Regioselectivity associated with the 1,3-dipolar cycloaddition of nitrones with electron-deficient dipolarophiles *J. Org. Chem.* **1984**, *49*, 276.
9. Fišera, L.; Štibrányi, L.; Mátušová, A.; Oremus, V.; Timpe, H.-J. Photoinduzierte Umlagerung von Isoxazolinen. Syntheseweg zu 2,4,5,8-tetrahydro-1,3-diox-5-azocinen *Tetrahedron Lett.* **1984**, *25*, 2731.
10. Fišera, L.; Oremus, V.; Timpe, H.-J.; Štibrányi, L.; Zálupský, P. An unusual effect of *exo-endō*-configuration on the quantum yield ϕ on photochemical rearrangement of 4-R-substituted-8-phenyl-3,5,10-trioxa-9-azabicyclo[5.3.0]-8-decenes *Coll. Czech. Chem. Commun.* **1986**, *51*, 2158.
11. Fišera, L.; Oravec, P.; Štibrányi, L.; Kožina, N. D.; Badovskaya, L. A. Photochemistry of heterocycles XII. A facile and convenient synthesis of arylaminooaldehydes *Synthesis* **1986**, *565*.
12. Fišera, L.; Oravec, P. The diastereoselective 1,3-dipolar cycloaddition of nitrile oxides to 5-ethoxy-2 (5H) furanone *Coll. Czech. Chem. Commun.* **1987**, *52*, 1315.
13. Oremus, V.; Fišera, L.; Timpe, H.-J.; Lammel, U. Unusually selective photoinduced rearrangement of 4-alkoxycarbonyl-5-formyl-2,3-dihydro-6H-1,3-oxazines. A new route to preparation of condensed lactones *Coll. Czech. Chem. Commun.* **1988**, *53*, 3171.
14. Fišera, L.; Goljer, I.; Jarošková, L. Reaction of tetrahydrofuroisoxazoles with molybdenum hexacarbonyl. A new route to preparation of 3-substituted tetrahydro- and dihydrofuran derivatives *Coll. Czech. Chem. Commun.* **1988**, *53*, 1753.
15. Štibrányi, L.; Fišera, L.; Kácer, R.; Oremus, V.; Mihulová, M. An unusual tert-butylamine mediated conversion of 6-aryl-7-formyl-2,4,5,8-tetrahydro-1,3-dioxa-5-azocines to 1,2,3,6-tetrahydropyrimidine derivatives *Coll. Czech. Chem. Commun.* **1990**, *55*, 2502.
16. Al-Timari, U. A. R.; Fišera, L. Regioselective synthesis of C-nucleosides by 1,3-dipolar cycloaddition of arylnitrile oxides to 5,6-dideoxy-1,2-O-isopropylidene- α -D-xylo-hex-5-enofuranose *Carbohydrate Res.* **1991**, *218*, 121.

17. Oravec, P.; Fišera, L.; Ertl, P.; Goljer, I. Regio- and stereoselectivity in the 1,3-dipolar cycloaddition of aryl nitrones to 3,3-methylene-5,5-dimethyl-2-pyrrolidinone *Monatsh. Chem.* **1991**, *122*, 977.
18. Al-Timari, U. A. R.; Fišera, L.; Goljer, I.; Ertl, P. regio- and stereoselective synthesis of carbohydrate isoxazolidines by 1,3-dipolar cycloaddition of nitrones to 5,6-dideoxy-1,2-*O*-isopropylidine- α -D-xylo-hex-5-enofuranose *Carbohydrate Res.* **1992**, *226*, 49.
19. Fišera, L.; Al-Timari, U. A. R.; Ertl, P. preparation and stereoselectivity of 1,3-dipolar cycloaddition of glycosyl nitrones to *N*-arylmaleimides. Cycloaddition reactions in carbohydrate chemistry, Giuliano, R. M. Ed., *ACS Symposium Series* 494; p 158.
20. Fišera, L.; Al-Timari, U. A. R.; Ertl, P.; Prónayová, N. Preparation and stereoselectivity of 1,3-dipolar cycloaddition of d-glucose-derived nitrones to *N*-Arylmaleimides *Monatsh. Chem.* **1993**, *124*, 1019.
21. Fišera, L.; Sauter, F.; Fröhlich, J.; Feng, Y.; Ertl, P.; Mereiter, K. Cycloadditions of nitrile oxides and nitrones to 4,4-methylene-1-methylpiperidine: Studies in regio- and stereoselectivity *Monatsh. Chem.* **1994**, *125*, 553.
22. Jarošková, L.; Konopíková, M.; Fišera, L. 1,3-dipolar cycloaddition of nitrones to *N*-(2,6-dialkylphenyl)maleimides *Chem. Papers* **1994**, *48*, 35.
23. Konopíková, M.; Fišera, L.; Prónayová, N.; Ertl, P. Regio- and stereoselective reduction of 3,5-disubstituted 4,6-dioxo-3a,4,6,6a-tetrahydropyrrole [3,4-d]isoxazoles with sodium borohydride *Liebigs Ann.* **1993**, 1047.
24. Fišera, L.; Sauter, F.; Fröhlich, J.; Feng, Y.; Mereiter, K. Synthesis of spiro-substituted 1,3-oxazines by a new sequence leading to spiroheterocycles. *Monatsh. Che.* **1994**, *125*, 909.
25. Ondruš, V.; Fišera, L.; Prónayová, N. Photochemistry of condensed isoxazolines *Monatsh. Chem.* **1994**, *125*, 1241.
26. Jarošková, L.; Fišera, L.; Matejková, I.; Ertl, P.; Prónayová, N. Stereoselectivity in the 1,3-dipolar cycloaddition of nitrones to 1-substituted 3,3-methylene-5,5-dimethyl-2-pyrrolidinones *Monatsh. Chem.* **1994**, *125*, 1413.
27. Fišera, L.; Jarošková, L.; Matejková, I.; Heimgartner, H. 1,3-Dipolar cycloaddition of nitrones and nitrile oxides to 3,3-methylene-5,5-dimethylpyrrolidin-2-thione *Heterocycles* **1995**, *40*, 271.
28. Fišera, L.; Lévai, A.; Jarošková, L.; Jedlovská, E.; Tóth, G.; Poláková, M. 1,3-Dipolar cycloaddition of 3-benzylidene-chromanone, -1-thiochromanone and -flavanone: Regio- and stereoselective formation of spiroheterocycles *Heterocycles* **1997**, *45*, 1651.
29. Ondruš, V.; Fišera, L. The synthesis and 1,3-dipolar cycloaddition reactions of chiral maleimides. *Molecules* **1997**, *2*, 49.
30. Huisgen, R.; Fišera, L.; Giera, H.; Sustmann, R. Thiones as superdipolarophiles. Rates and equilibria of nitrone cycloadditions to thioketones *J. Am. Chem. Soc.* **1995**, *117*, 9671.
31. Fišera, L.; Huisgen, R.; Kalwinski, I.; Langhals, E.; Li, X.; Młoston, G.; Polborn, K.; Rapp, J.; Sicking, W.; Sustmann, R. New thione chemistry *Pure and Appl. Chem.* **1996**, *68*, 789.

32. Ondruš, V.; Fišera, L.; Prónayová, N. A simple synthesis of some analogue of natural antibiotics *Chem. Papers* **1997**, *51*, 164.
33. Ondruš, V.; Orság, M.; Fišera, L.; Prónayová, N. Stereoselectivity of *N*-Benzyl-*C*-ethoxycarbonyl nitrone cycloaddition to (*S*)-5-Hydroxymethyl-2(5*H*)-furanone and Its derivatives *Tetrahedron* **1999**, *55*, 10425.
34. Mičúch, P.; Fišera, L.; Cyrański, M. K.; Krygowski, T. M. Reversal of stereoselectivity of Mg(II) catalysed 1,3-dipolar cycloaddition. Acceleration of cycloaddition by microwave irradiation *Tetrahedron Lett.* **1999**, *40*, 167.
35. Kubáň, J.; Blanáriková, I.; Fišera, L.; Jarošková, L.; Fengler-Veith, M.; Jäger, V.; Kožíšek, J.; Humpa, O.; Prónayová, N.; Langer, V. Synthesis of d-erythrose and d-threose derived nitrones and cycloadditions to styrene *Tetrahedron* **1999**, *55*, 9501.
36. Fišera, L.; Ondruš, V.; Kubáň, J.; Mičúch, P.; Blanáriková, I.; Jäger, V. Stereoselective 1,3-dipolar cycloadditions to heterocyclic compounds *J. Heterocyclic Chem.* **2000**, *37*, 551.
37. Mičúch, P.; Fišera, L.; Cyrański, M. K.; Krygowski, T. M.; Krajčík, J. Reversal of diastereostereoselectivity of nitrile oxide cycloaddition by Mg(II). Acceleration of cycloaddition by microwave irradiation *Tetrahedron* **2000**, *56*, 5465.
38. Blanáriková, I.; Dugovič, B.; Fišera, L.; Hametner, Ch.; Prónayová, N. 1,3-Dipolar cycloadditions of D-erythrose- and D-threose-derived nitrones to maleimides. *ARKIVOC* **2001**, (ii), 1091.
39. Ondruš, V.; Fišera, L.; Bradáč, V. On the use of water as a solvent - simple and short one-step synthesis of maleimides *ARKIVOC* **2001**, (v), 60.
40. Blanáriková, I.; Fišera, L.; Kopaničáková, Z.; Salanski, P.; Jurczak, J.; Hametner, Ch. Synthesis of chiral amino acid - derived nitrones and 1,3-dipolar cycloadditions with acrylic acid methyl ester *ARKIVOC* **2001**, (v), 51.
41. Kubáň, J.; Kolarovič, A.; Fišera, L.; Jäger, V.; Humpa, O.; Prónayová, N.; Ertl, P. Stereoselectivity of 1,3-dipolar cycloadditions of d-erythrose and d-threose derived nitrones with methyl acrylate *Synlett* **2001**, 1862.
42. Kubáň, J.; Kolarovič, A.; Fišera, L.; Jäger, V.; Humpa, O.; Prónayová, N. Synthesis of trihydroxylated pyrrolizidine using 1,3-dipolar cycloaddition of d-erythrose derived nitrone. *Synlett* **2001**, 1866.
43. Fischer, R.; Drucková, A.; Fišera, L.; Rybár, A.; Hametner, C.; Cyrański, M. K. New chiral nitrones in the synthesis of modified nucleosides *Synlett* **2002**, 1113.
44. Blanáriková-Hlobilová, I.; Kopaničáková, Z.; Fišera, L.; Cyrański, M. K.; Salanski, P.; Jurczak, J.; Prónayová, N. Stereoselectivity of 1,3-dipolar cycloadditions of l-valine derived nitrones with methyl acrylate *Tetrahedron* **2003**, *59*, 3333.
45. Fischer, R.; Drucková, A.; Fišera, L.; Hametner, C. Preparation and 1,3-dipolar cycloadditions of chiral nitrones derived from d-xylose with vinyl acetate *ARKIVOC* **2002**, (viii), 80.

46. Blanáriková-Hlobilová, I.; Fišera, L.; Prónayová, N.; Koman, M. 1,3-dipolar cycloadditions of d-erythrose and d-threose derived alkenes with nitrones *Coll. Czech. Chem. Commun.* **2003**, *68*, 951.
47. Fišera, L. Acylimines. In methods of molecular transformations, product class 11, science of synthesis; Padwa, A. Ed.; Thieme: Houben-Weyl, 2004; p 349.
48. Fischer, R.; Hýrošová, E.; Drucková, A.; Fišera, L.; Hametner, C.; Cyrański, M. K. Isoxazolinyl spironucleosides: stereoselectivity of 1,3-dipolar cycloadditions of 7-methylenepyrrolo[1,2-*c*]pyrimidin-1(5*H*)-ones *Synlett* **2003**, 2364.
49. Dugovič, B.; Fišera, L.; Hametner, C.; Prónayová, N. Diastereoselectivity of nitrone 1,3-dipolar cycloaddition to baylis-hillman adducts *ARKIVOC* **2003**, (xiv), 162.
50. Dugovič, B.; Fišera, L.; Hametner, C.; Cyrański, M. K. Prónayová N. Diastereoselectivity of chiral nitrone 1,3-dipolar cycloaddition to baylis-hillman adducts *Monatsh. Chem.* **2004**, *135*, 685.
51. Dugovič, B.; Fišera, L.; Hametner, C. Reversal of regioselectivity of nitrone 1,3-dipolar cycloadditions by lewis acids *Synlett* **2004**.