

Supplementary Material

Ligand exchange of aryl iodine dicarboxylates to form reagents with differing solubilities

Vanie Seecharan, Lyse Armand, Jennifer N. Noorollah, Nirvanie Singh, Andrew Zhang, Kevin P. Freddo, Nicholas Spatola, Sailesh Prasad, Azka Chaudhry, Su Wint War, I. F. Dempsey Hyatt,* and Daniel L. Silverio*




Department of Chemistry, Adelphi University, One South Avenue, Garden City, NY, 11530, United States of America




Email: dsilverio@adelphi.edu



Table of Contents

H NMR, ^{13}C NMR, and IR spectra of phenyl-λ^3-iodanediyl bis(decanoate) (4)	S2
^1H NMR, ^{13}C NMR, and IR spectra of phenyl- λ^3-iodanediyl dibutyrate (3)	S5
^1H NMR and ^{19}F NMR spectra of phenyl- λ^3-iodanediyl bis(2,2,2-trifluoroacetate) (2)	S8
Data for Individual Solubility Measurements	S9



^1H NMR, ^{13}C NMR, and IR spectra of phenyl- λ^3 -iodanediyl bis(decanoate) (**4**)















^1H NMR, ^{13}C NMR, and IR spectra of **phenyl- λ^3 -iodanediyl dibutyrate (3)**







^1H NMR and ^{19}F NMR spectra of **phenyl- λ^3 -iodanediyl bis(2,2,2-trifluoroacetate) (2)**



Data for Individual Solubility Measurements**Table S1: Data for solubility of compound 1**

Solvent	Solubility measured in each trial, mg/mL			
CH ₃ CN	60.4	62.8	65.0	51.0
CH ₂ Cl ₂	285	281	270	283
THF	55.8	57.1	60.3	55.7
Et ₂ O	7.8	7.4	7.9	7.4
toluene	14.4	12.5	12.0	12.7
hexanes	0.2	0.5	0.6	0.3

Table S2: Data for solubility of compound 2

Solvent	Solubility measured in each trial, mg/mL			
CH ₃ CN	516	541	546	551
CH ₂ Cl ₂	242	233	233	231
THF	727	612	626	625
Et ₂ O	147	144	139	141
toluene	108	113	119	103
hexanes	1.0	0.9	0.9	0.8

Table S3: Data for solubility of compound 3

Solvent	Solubility measured in each trial, mg/mL			
CH ₃ CN	3.3	5.1	4.4	4.6
CH ₂ Cl ₂	18.7	18.4	19.0	18.9
THF	3.7	3.5	3.9	5.4
Et ₂ O	27.0	24.1	24.0	24.2
toluene	5.7	6.1	5	4.5
hexanes	0	0.30	0	0.8

Table S4: Data for solubility of compound 4

Solvent	Solubility measured in each trial, mg/mL			
CH ₃ CN	2.8	2.6	2.6	2.6
CH ₂ Cl ₂	47.0	30.0	40.7	41.2
THF	196	194	197	194
Et ₂ O	95.6	99.0	67.5	67.6
toluene	21.7	21.5	21.0	28.8
hexanes	9.9	11.7	13.4	10.6