

Supplementary Material

***N*-(Phenylsulfonyl)benzenesulfonamide (NPBSA): A new organo-catalyst for synthesis of 2-aryl-4,5-diphenyl-1*H*-imidazoles.**



Santoshkumar M. Potdar* and Krishnakant T. Waghmode



Department of Chemistry, D.G. Ruparel Research Centre, University of Mumbai, Mumbai 400 016, India



Email: santoshpm1976@gmail.com



Table of Contents



Copies of ¹H NMR spectra of compounds **2a–m** S2



^1H NMR of 2 a (400 MHz, CDCl_3) **^1H NMR of 2 b (400 MHz, CDCl_3)**

^1H NMR of 2 c(400 MHz, CDCl_3) **^1H NMR of 2 d(400 MHz, CDCl_3)**

^1H NMR of 2 e(400 MHz, CDCl_3), **^1H NMR of 2 f(400 MHz, CDCl_3)**

¹H NMR of 2 g (400 MHz, CDCl₃)**¹H NMR of 2 h (400 MHz, CDCl₃)**

^1H NMR of **2 i** (400 MHz, CDCl_3) ^1H NMR of **2 j** (400 MHz, CDCl_3)

^1H NMR of **2 k** (400 MHz, CDCl_3) ^1H NMR of **2 l** (400 MHz, CDCl_3)

^1H NMR of **2 m** (400 MHz, CDCl_3)